

## Stilio UNO Wall Lamp

Light source: LED 8W, Socket: E27

The lamp has been designed and built in accordance with applicable harmonised standards and other technical specifications. It is therefore state-of-the-art and ensures safe operation. The lamp may only be used for the intended purpose.

### Hinweis:

The safety distance from the ceiling and from, e.g. a table below the lamp, must be a minimum of 0.5 m.

### ATTENTION!

The connection cable must be isolated from the mains before assembly.

### Assembly:

It is recommended that assembly is implemented by a specialist company. We ask for your understanding that we can only offer a guarantee if assembly is implemented correctly.

- ① Feed the supply cable through the opening and mark the boreholes through the mounting holes of the mounting plate. Attach the mounting plate with dowels and screws to the wall.
- ② Connect the supply cable with the connection terminal. Ensure that the protective earth conductor is placed in the
- ③ earth conductor position. Connect the lamp cable with the connection terminal. The lamp is earthed when the wall plate is correctly connected with the mounting plate (see Point 6).
- ④ Push the wall plate with the slits over the fastening screws of the mounting plate. Make sure that no cables are trapped. The lamp cable must lead downwards.
- ⑤ Press the wall plate on lightly and tighten the four fastening screws. It must not be possible to undo the fastening screws by hand.
- ⑥ Attach a toothed washer on one of the four screws to prevent the screw from becoming loose. (According to DIN EN 60598, loosening of mechanical connections that represent a protective earth connection must be prevented). The light may only be operated when it has been fully assembled. Insert the bulb.

### Dimming:

The light is dimmable, depending on the light source. Please read the instructions of the illuminant manufacturer.

### Cleaning:

We recommend cleaning the lamp with a soft, dry cloth. A commercial glass cleaner can be used to clean the glass rods.

